



Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

NOV 23 2004

TRA & ACCESSORIES
c/o Mr. Richard Mastroleo
449 West Allen Ave.
Suite 107
San Dimas, CA 91773

Re: K033146
Trade/Device Name: Tono-Pen Tonometer Tip Cover
Regulation Number: 21 CFR 886.1930
Regulation Name: Tonometer and Accessories
Regulatory Class: Class II
Product Code: HKY
Dated: October 12, 2004
Received: November 18, 2004

Dear Mr. Mastroleo:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (301) 594-4613. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

A handwritten signature in cursive script that reads "A. Ralph Rosenthal".

A. Ralph Rosenthal, M.D.
Director
Division of Ophthalmic and Ear,
Nose and Throat Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

TRA & ACCESSORIES


510(k) Submission

Tonometer Tip Covers – Tonometer, Manual

Statement of Indications for Use

The Tono-Film Tonometer Tip Cover is intended to be used in conjunction with the Tono-Pen Tonometer, which is intended to be used to measure intraocular pressure and used in the diagnosis of glaucoma.

Prescription Use X
(Per 21 CFR 801.109)


(Division Sign-Off)
Division of Ophthalmic Ear,
Nose and Throat Devices
510(k) Number K033146